

No.: CS/2014/50004 Date: 2014/06/05 Page: 1 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248



The following test reports/information were submitted and identified by the applicant as:

Sample Description : BRACKET

Style/Item No. : GL-201, 202, 203P, 203M, 203E, 203L, 203X, 203R2, 204SI, 204LI, 204L, 205, 205A,

205N, 206, 207, 208, 209, 210, 211A, 212, 213, 214, 215, 215U, 216, 216A, 217, 218, 218A, 218L, 219, 220, 220E, 221, 222, 223, 224A, 224B, 224C, 224D, 224E, 225, 226,

227, 228, 229, 230, 231, 232, 233, 234, 234A, 235, 236, 500, 500L

Testing Period : 2012/06/29 TO 2014/01/13

Test Results : Please refer to next page(s).

* This report is combined with 23 copies of test reports which provided by client. *



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Survey Report No.: CS/2014/50004

Date: 2014/06/05 Page: 2 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248



Test Result(s)

PART NAME No.1	:	銀色 SECC鍍鋅鋼板 (KC/2013/C0088)

PART NAME No.2 : SILVER COLORED METAL (CE/2013/80343) PART NAME No.3 : SILVER COLORED METAL (CE/2013/74127) PART NAME No.4 : SILVER COLORED METAL (CE/2013/10456) PART NAME No.5 : SILVER COLORED METAL (CE/2013/36607) PART NAME No.6 : SILVER COLORED METAL (CE/2013/55653)

PART NAME No.7 : SILVER AA 6063 (KC/2012/60271)

PART NAME No.8 : WHITE PLASTIC PELLETS (CE/2013/63942)

: NATURE ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER (KA/2012/C1545) PART NAME No.9 NATURE ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER (KA/2012/C1593) PART NAME No.10 PART NAME No.11 NATURE ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER (KA/2012/C1575) PART NAME No.12 : NATURE ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER (KA/2012/C1573) NATURE ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER (KA/2012/C1587) PART NAME No.13

PART NAME No.14 DK. PURPLE LIQUID (SAMPLE IS MIXED BY CLIENT) (CE/2012/C3285)

PART NAME No.15 PURPLE INK (SAMPLE IS MIXED BY CLIENT) (CE/2013/36671)

PART NAME No.16 TRANSPARENT-GREEN LIQUID (CE/2013/80096)

PART NAME No.17 : PLATING LAYER OF SILVER COLORED METAL (CE/2013/C2610 No.1)

PART NAME No.18 : PLATING LAYER OF SILVERY BLUE METAL (CE/2013/63986)

PART NAME No.19 : PLATING LAYER OF SILVER COLORED METAL SCREW (CE/2014/10311) PART NAME No.20 BASE MATERIAL OF SILVER COLORED METAL SCREW (CE/2014/10312)

PART NAME No.21 MIXED ALL PARTS (CE/2014/11454)

PART NAME No.22 : MIXED ALL PLATING LAYER OF SILVER COLORED METAL (4 KINDS) (CE/2012/B2667)

PART NAME No.23 PLATING LAYER OF SILVER GRAY METAL (CE/2013/C2294)

Toot Itom(c)	Unit	Method	MDL	Result						
Test Item(s)	Onit	Metriod	MIDE	No.1	No.2	No.3	No.4	No.5		
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	n.d.					
	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2			3	3	n.d.		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention of advant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document and this document on the company and the compan



No.: CS/2014/50004 Date: 2014/06/05 Page: 3 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

Took Itom/o)	l lm!4	Method	MDL			Result		
Test Item(s)	Unit	Wethod	MIDL	No.1	No.2	No.3	No.4	No.5
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	23			
	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2			210	358	230
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	n.d.			
mg/kg With refe 62321: 20		With reference to IEC 62321: 2008 and performed by ICP-AES.	2			n.d.	n.d.	n.d.
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative	Negative	Negative	Negative	Negative
Sum of PBBs			-	n.d.				
Monobromobiphenyl			5	n.d.				
Dibromobiphenyl			5	n.d.				
Tribromobiphenyl			5	n.d.				
Tetrabromobiphenyl		With reference to IEC	5	n.d.				
Pentabromobiphenyl	mg/kg	62321: 2008 and performed	5	n.d.				
Hexabromobiphenyl		by GC/MS.	5	n.d.				
Heptabromobiphenyl			5	n.d.				
Octabromobiphenyl		5	n.d.					
Nonabromobiphenyl		5	n.d.					
Decabromobiphenyl			5	n.d.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CS/2014/50004 Date: 2014/06/05 Page: 4 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

|--|--|--|

Took Itom/o)	l lm i4	Method	MDI		Result						
Test Item(s)	Unit	Wethod	MDL	No.1	No.2	No.3	No.4	No.5			
Sum of PBDEs			-	n.d.							
Monobromodiphenyl ether	1		5	n.d.							
Dibromodiphenyl ether			5	n.d.							
Tribromodiphenyl ether			5	n.d.							
Tetrabromodiphenyl ether		With reference to IEC	5	n.d.							
Pentabromodiphenyl ether	mg/kg	62321: 2008 and performed	5	n.d.							
Hexabromodiphenyl ether		by GC/MS.	5	n.d.							
Heptabromodiphenyl ether			5	n.d.							
Octabromodiphenyl ether			5	n.d.							
Nonabromodiphenyl ether	1		5	n.d.							
Decabromodiphenyl ether	1		5	n.d.							

Took Home(a)	11	Mathad	MDI			Result		
l est item(s)	Test Item(s) Unit Method um (Cd) mg/kg With reference to IEC		MDL	No.6	No.7	No.8	No.9	No.10
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	n.d.	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	11	13	n.d.	n.d.	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	n.d.	n.d.
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative				
	**	With reference to IEC 62321: 2008 and performed by Spot test / boiling water extraction Method. (See Note 8)	0.02mg/kg with 50 cm² surface area		Negative			
	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2			n.d.	n.d.	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Hexabromodiphenyl ether

Heptabromodiphenyl ether

Octabromodiphenyl ether

Nonabromodiphenyl ether

Decabromodiphenyl ether

No.: CS/2014/50004 Date: 2014/06/05 Page: 5 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

Toot Itom/o)	11	Madb a d	ME			Result		
Test Item(s)	Unit	Method	MDL	No.6	No.7	No.8	No.9	No.10
Sum of PBBs			-			n.d.	n.d.	n.d.
Monobromobiphenyl			5			n.d.	n.d.	n.d.
Dibromobiphenyl			5			n.d.	n.d.	n.d.
Tribromobiphenyl			5			n.d.	n.d.	n.d.
Tetrabromobiphenyl			5			n.d.	n.d.	n.d.
Pentabromobiphenyl			5			n.d.	n.d.	n.d.
Hexabromobiphenyl			5			n.d.	n.d.	n.d.
Heptabromobiphenyl			5			n.d.	n.d.	n.d.
Octabromobiphenyl			5			n.d.	n.d.	n.d.
Nonabromobiphenyl			5			n.d.	n.d.	n.d.
Decabromobiphenyl	m a/l.a	With reference to IEC	5			n.d.	n.d.	n.d.
Sum of PBDEs	mg/kg	62321: 2008 and performed by GC/MS.	-			n.d.	n.d.	n.d.
Monobromodiphenyl ether		by GG/MG.	5			n.d.	n.d.	n.d.
Dibromodiphenyl ether			5			n.d.	n.d.	n.d.
Tribromodiphenyl ether			5			n.d.	n.d.	n.d.
Tetrabromodiphenyl ether			5			n.d.	n.d.	n.d.
Pentabromodiphenyl ether			5			n.d.	n.d.	n.d.
	7	1		1	ı	I	1	_

Toot Itom(a)	l lni4	Init Mathed	MDL	Result						
Test Item(s) Unit Method		MIDL	No.11	No.12	No.13	No.14	No.15			
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	n.d.	n.d.		
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	n.d.	n.d.		

5

5

5

5

5

n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CS/2014/50004 Date: 2014/06/05 Page: 6 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

T (1)		•• 4	MADI			Result		
Test Item(s)	Unit	Method	MDL	No.11	No.12	No.13	No.14	No.15
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	n.d.	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.	n.d.	n.d.	n.d.
Sum of PBBs			-	n.d.	n.d.	n.d.	n.d.	n.d.
Monobromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Dibromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Tribromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Tetrabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Pentabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Hexabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Heptabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Octabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Nonabromobiphenyl			5	n.d.	n.d.	n.d.	n.d.	n.d.
Decabromobiphenyl	m a/l.a	With reference to IEC 62321: 2008 and performed	5	n.d.	n.d.	n.d.	n.d.	n.d.
Sum of PBDEs	mg/kg	by GC/MS.	-	n.d.	n.d.	n.d.	n.d.	n.d.
Monobromodiphenyl ether		by Conne.	5	n.d.	n.d.	n.d.	n.d.	n.d.
Dibromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Tribromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Pentabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Hexabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Heptabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Octabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.
Decabromodiphenyl ether			5	n.d.	n.d.	n.d.	n.d.	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CS/2014/50004 Date: 2014/06/05 Page: 7 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

Took Item/s)	11!4	Bankle and	MDL			Result		
Test Item(s)	Unit	Method	MDL	No.16	No.17	No.18	No.19	No.20
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.				
	mg/kg	IEC 62321-5: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.		n.d.	n.d.
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2			4		
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.				
	mg/kg	IEC 62321-5: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.		n.d.	n.d.
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2			15		
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.				
	mg/kg	IEC 62321-4: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.		n.d.	n.d.
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2			n.d.		
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CS/2014/50004 Date: 2014/06/05 Page: 8 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248

	11811		III I	11111				ш
			ш	ш	ш	ш	ш	ш

Test Item(s)	Unit	Method	MDL			Result		
rest item(s)	Onit	Wethod	MIDL	No.16	No.17	No.18	No.19	No.20
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#		Negative		Negative	Negative
	mg/kg	With reference to BS EN ISO 3613:2001 for Hexavalent Chromium for metallic samples. Analysis was performed by UV-VIS Spectrometry.	- (See Note 9)			n.d.		

Test Item(s)	Unit	Method	MDL		Result		
	Unit			No.21	No.22	No.23	
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.			
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.	n.d.	
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.			
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.	29	
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.			
	mg/kg	IEC 62321: 2008 application of modified digestion by surface etching and performed by ICP-AES.	2		n.d.	n.d.	
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative	Negative	Negative	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



No.: CS/2014/50004 Date: 2014/06/05 Page: 9 of 9

SANHOTAI ENTERPRISE CO., LTD

NO. 104, WUGONG 2ND ROAD, WUGU DISTRICT, NEW TAIPEI CITY 248



Note:

- 1. mg/kg = ppm, 0.1% = 1000 ppm(mg/kg), 0.0005% = 5 ppm(mg/kg)
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. "---" = Not Conducted
- 6. ** = Qualitative analysis (No Unit)
- 7. # = a. Positive means the presence of CrVI on the tested areas
 - b. Negative means the absence of CrVI on the tested areas

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas.

8. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer,

Positive = Presence of Cr(VI) coating / surface layer;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer.

Positive = Presence of Cr(VI) coating / surface layer;

the detected concentration in boiling-water-extraction solution is equal or greater

than 0.02 mg/kg with 50 cm2 sample surface area.

- 9. Method Detection Limit = $0.02 \,\mu\text{g/cm}^2$; Based upon the customer's requirement and information to calculate the coating thickness, the unit of the test result was conversed into mg/kg.
- 10. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.
- 11. This report supersedes the previous document bearing the test report number CS/2014/50004 which was issued on 2014/05/29.

** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-